

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/678,297	10/03/2000	HIROSHI KABURAGI	862.C2023	5739
5514 7:	590 06/02/2005		EXAMINER	
	K CELLA HARPER &	PHAM, THIERRY L		
30 ROCKEFELLER PLAZA NEW YORK, NY 10112			ART UNIT	PAPER NUMBER
,			2624	
			DATE MAIL ED. 0/102/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

· ·						
	Application No.	Applicant(s)				
	09/678,297	KABURAGI ET AL.				
Office Action Summary	Examiner	Art Unit				
	Thierry L. Pham	2624				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 14 M	arch 2005.					
2a) ☐ This action is FINAL. 2b) ☒ This	action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under E	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>19-29</u> is/are pending in the application.						
4a) Of the above claim(s) 27-29 is/are withdraw	4a) Of the above claim(s) <u>27-29</u> is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.	Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>19-26</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers						
9) The specification is objected to by the Examine	r.					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the	drawing(s) be held in abeyance. Se	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correcti	- · · · · · · · · · · · · · · · · · · ·					
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119		·				
 12) ☐ Acknowledgment is made of a claim for foreign a) ☐ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority documents)-(d) or (f).				
2. Certified copies of the priority documents		ion No				
3. Copies of the certified copies of the prior	• •					
application from the International Bureau	•	ya iii tiiio i tational Otago				
* See the attached detailed Office action for a list	of the certified copies not receive	ed.				
Attachment(s)	, -	(DTO 440)				
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) ∐ Interview Summary Paper No(s)/Mail Da					
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date		Patent Application (PTO-152)				

Art Unit: 2624

DETAILED ACTION

- This action is responsive to the following communication: RCE filed on 3/14/05.
- Claims 19-29 are pending; Claims 1-18 have been canceled.

Election/Restrictions

Group I: Claims 19-26, drawn to an image processing apparatus for binarizing the multilevel image using a dot connectivity parameter in accordance with the characteristic-information concerning dot reproducibility acquired from the external image output device, classified in class 358, subclass 1.9.

Group II: Claims 27-29, drawn to an image processing apparatus for binarizing the multilevel image using a dot connectivity parameter in accordance with a test pattern outputted by the external image output device, classified in class 358, subclass 504.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, no claim is generic.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the

Art Unit: 2624

examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

During a telephone conversation with Edward Kmett on 4/11/05 a provisional election was made without traverse to prosecute the invention of Group I, claims 19-26. Affirmation of this election must be made by applicant in replying to this Office action. Claims 27-29 withdrawn from further consideration by the examiner, 37 CFR 1.142(b), as being drawn to a non-elected invention.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 19-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Terashima et al (US 65387762), and in view of Mizuoka et al (US 5166986).

Regarding claim 19, Terashima discloses an image processing apparatus (host computer 11 includes printer control unit 5, fig. 3) capable of transmitting binary image data to an external output device (i.e. printer 9, fig. 3), via a network (a cable connecting printer 9 and host computer 11, fig. 3), said apparatus comprising:

- input means (input I/F 201 for receiving plurality of different types of image data, fig. 8) for inputting, pixel by pixel, a multilevel image containing gray-scale information;
- communication means (cable 15 for connecting host computer and printer, fig. 3) for communicating with the external image output device via the network;
- characteristic-information acquisition means (control circuit 5 incorporated within host computer 11 for receiving printer's parameters that control printing mechanism of the printer, i.e.

Art Unit: 2624

print head characteristics, inkjet printer dot parameters, col. 2, lines 58-60 and col. 6, lines 16-38, and also see col. 9, lines 30-65) for acquiring characteristic-information concerning dot reproducibility (i.e. number of dots in one raster horizontal line and number of vertical dots on one page, col. 6, lines 31-32) from the external output device by said communication means;

- transmitting means (cable 15, fig. 3) for transmitting the image data binarized by said binarization means (color conversion/halftoning section of printer control circuit 5 for converting multilevel image into binary image, col. 7, lines 65-67) to the external image output device;
- and said transmitting means (cable 15, fig. 3) transmits the image data binarized by said binarization means (color conversion/halftoning section of printer control circuit 5 for converting multilevel image into binary image, col. 7, lines 65-67) to the external image output device (printer 9, fig. 3) from which the characteristics-information is acquired.

However, Terashima fails to teach and/or suggest a printer control unit 5 (notes: printer control unit 5 can be incorporated within a host computer and/or printer) that includes a binarization means for binarizing the multilevel image by using dot connectivity parameter which is variably controllable to control dot connectivity in a binary image; a determination means for determining the dot connectivity parameter used by the binarization means in accordance with the characteristics-information acquired by said characteristic-information acquisition means; and wherein said binarization means binarizes the multilevel image using the dot connectivity parameter determined by the determination means.

Mizuoka, in the same field of endeavor for image processing apparatus (fig. 1), teaches a binarization means (binarizations circuits 3-6, fig. 1) for binarizing the multilevel image (binarizing multilevel image data, col. 1, lines 55-57) by using dot connectivity parameter (using dot connectivity between pixels, col. 1, lines 55-60) which is variably controllable (different binary level can be controlled and/or conducted using dot connectivity, fig. 2 and fig. 4, col. 5, lines 10-22) to control dot connectivity in a binary image; a determination means (connectivity distribution means, fig. 1) for determining the dot connectivity parameter (dot connectivity parameter, figs. 2 & 4) used by the binarization means in accordance with the characteristics-information (filtering characteristics information, col. 5, lines 47-48) acquired by said characteristic-information acquisition means; and wherein said binarization means (binarization means for binarizing multilevel image data using dot connectivity distribution/parameters, fig. 1)

Application/Control Number: 09/678,297

Art Unit: 2624

binarizes the multilevel image using the dot connectivity parameter (dot connectivity parameters/distributions, fig. 2 & 4, col. 30-50) determined by the determination means.

It would have been obvious to one of ordinary skill in the art at the time of the invention was made by modifying printer control unit 5 of Terashima to include binarization means for binarizing multilevel image data using dot connectivity parameters as taught by Mizuoka because of the following reasons: (•) providing an image processing apparatus including a binarization means for binarizing multilevel image signals even when a density of the object to be binarized is not uniform (col. 3, lines 12-14, Mizuoka); (•) providing an image processing apparatus including a binarization means for binarizing multilevel image signals even when there is a little difference in density between the object and the background of the multilevel image (Mizuoka, col. 3, lines 15-18).

Therefore, it would have been obvious to combine Terashima with Mizuoka to obtain the invention as specified in claim 19.

Regarding claim 20, Mizuoka further teaches the apparatus according to claim 19, further comprising correlation storing means (connectivity distribution memory 6, fig. 1) for storing a correlation (dot connectivity distribution, figs. 2 & 4))between the dot connectivity parameter and the characteristics-information of the external image output device.

Regarding claim 21, Mizuoka further teaches the apparatus according to claim 19, further comprising dot connectivity parameter storing means (connectivity distribution memory 6, fig. 1) for storing the dot connectivity parameter determined by said determination means, wherein said binarization means (binarization circuits 3-6, fig. 1) binarizes the multilevel image by using the dot connectivity parameter (binarizing the multilevel image using dot connectivity distribution as shown in figs. 2 and 4) stored in said dot connectivity parameter storing means.

Regarding claim 22, Mizuoka further teaches the apparatus according to claim 19, wherein said determination means calculates a dot connectivity parameter (calculating dot connectivity using the formula as shown in col. 4, lines 15-20) which is suitable for the external

Application/Control Number: 09/678,297 Page 6

Art Unit: 2624

image output device, which communicates via the network, based on the acquired characteristic-

information.

Regarding claims 23-26: Claims 23-26 are the methods corresponding the apparatus and

recite limitations that are similar and in the same scope of invention as to those in claims 19-22;

therefore, claims 23-26 are rejected for the same rejection rationale/basis as described in claims

19-22 above.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner

should be directed to Thierry L. Pham whose telephone number is (571) 2727439. The examiner

can normally be reached on M-F (9:30 AM - 6:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, David K. Moore can be reached on (571)272-7437. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Thierry L. Pham

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2600